

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

EAST [default.wsp:1]

File View Edit Tools Window Help

☒ L3: (258112) (acrylic or m...  
☒ L4: (12810) 1 and 2  
☒ L5: (4001) 1 same 2  
☒ L6: (8324) 3 and (4 or 5)  
☒ L7: (609) 3 same 5  
☒ L8: (51) 7 and 524/\$7.ccls  
☐ Failed  
☒ Saved

Search      
 DB:  ☐ Plurals ☐ Synonyms  
 Default operator:  OR ☒ Highlight all hit terms initially  
 7 and 524/\$7.ccls.

☒ BRS form ☒ IS&R form ☒ Image ☒ Text

	U	I	Document ID	Issue Date	Pages	Title	Current OR	Current XRef
23	<input type="checkbox"/>	<input type="checkbox"/>	US 5284900 A	19940208	25	Aqueous crosslinkable resin dispersions, method of their	524/492	524/430 ; 524/457
24	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 5234988 A	19930810	8	High adhesion coating for rubber articles	524/526	524/523 ; 524/524
25	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5217839 A	19930608	11	Preparation process of toner	430/137.17	524/718 ; 524/719
26	<input type="checkbox"/>	<input type="checkbox"/>	US 5045611 A	19910903	7	Processes for the preparation of polymers	526/81	524/706 ; 524/836
27	<input type="checkbox"/>	<input type="checkbox"/>	US 4526910 A	19850702	11	High-solids coating composition for improved	523/220	523/443 ; 524/376
28	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 4522958 A	19850611	13	High-solids coating composition for improved	523/212	428/418 ; 428/423.1
29	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 4429066 A	19840131	9	Additive for coating compositions containing	524/158	106/287.21 ; 106/287.26
30	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 4426481 A	19840117	17	Polymeric matrix containing .beta.-eliminating polymer	524/460	525/291 ; 525/293
31	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 4407997 A	19831004	9	Marine paint	524/202	524/208 ; 524/413
32	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 4304693 A	19811208	11	Semisolid water-based coating compositions	524/556	523/402 ; 524/174
33	<input type="checkbox"/>	<input type="checkbox"/>	US 4294752 A	19811013	5	Filled vinyl chloride polymer composition	524/425	524/145 ; 524/567

Start ☒ ☒ ☒ Clock: 5/17/01 ☒ Inbox - Microsoft Outlook ☒ EAST: [default.wsp:1] 9:06 AM

EAST: [default.wsp:1]

File View Edit Tools Window Help

☐ L3: (258112) (acrylic or m  
☐ L4: (12810) 1 and 2  
☐ L5: (4001) 1 same 2  
☐ L6: (8324) 3 and (4 or 5)  
☐ L7: (609) 3 same 5  
☐ L8: (51) 7 and 524/\$7.ccls  
☐ Failed  
☒ Saved

QBs: USPAT ☐ Plurals ☐ Synonyms  
 Default operator: OR ☒ Highlight all hit terms initially  
 7 and 524/\$7.ccls.

☒ BRS form ☒ S&R form ☒ Image ☒ Text

	U	I	Document ID	Issue Date	Pages	Title	Current OR	Current XRef
1	<input type="checkbox"/>	<input type="checkbox"/>	US 6147137 A	20001114	5	Dental primer and adhesive	523/118	524/556 ; 524/559
2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6140394 A	20001031	14	Method and apparatus of suspension polymerization	523/315	523/318 ; 524/800
3	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6113891 A	20000905	7	Fluidized polymer suspensions of cationic	424/70.13	424/59 ; 424/68
4	<input type="checkbox"/>	<input type="checkbox"/>	US 6093769 A	20000725	5	Fluidized polymer suspensions of cationic	524/767	424/70.13 ; 424/78.02
5	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6051646 A	20000418	15	Thermosetting binder prepared with	428/174	51/294 ; 51/295
6	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 6048626 A	20000411	14	Polyester composition and film made therefrom	428/480	430/97 ; 523/220
7	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5981651 A	19991109	14	Ink processes	524/773	526/78
8	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5973054 A	19991026	16	Colored minute particles	524/457	430/109.3 ; 430/137.15
9	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 5955201 A	19990921	10	Inorganic/organic insulating coating for nonoriented	428/450	336/219 ; 428/457
10	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 5952420 A	19990914	16	Pressure-sensitive adhesive polyacrylate polymer	524/548	524/399 ; 524/432
11	<input type="checkbox"/>	<input type="checkbox"/>	US 5776604 A	19980707	6	Coating for printable plastic films	428/343	427/412.3 ; 427/564

Start ☒ Clock: 5/17/01 ☒ Inbox: Microsoft Outlook ☒ EAST: [default.wsp:1] 9:05 AM

EAST- [default.wsp:1]

File View Edit Tools Window Help

☐ L3: (258112) (acrylic or m  
☐ L4: (12810) 1 and 2  
☐ L5: (4001) 1 same 2  
☐ L6: (8324) 3 and (4 or 5)  
☐ L7: (609) 3 same 5  
☐ L8: (51) 7 and 524/57.ccls  
☐ Failed  
☐ Saved

Search     
 Q8: USPAT ☐ Plurals ☐ Synonyms  
 Default operator: OR ☒ Highlight all hit terms initially  
 7 and 524/57.ccls.

	U	I	Document ID	Issue Date	Pages	Title	Current OR	Current XRef
12	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 5696199 A	19971209	18	Pressure-sensitive adhesive polyacrylate polymer and	524/548	524/399 ; 524/432
13	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 5672646 A	19970930	8	Stabilizing composition for chlorine-containing polymer	524/357	524/114 ; 524/127
14	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 5585423 A	19961217	9	Ultraviolet resistant glutarimide	524/102	428/447 ; 524/120
15	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 5503935 A	19960402	5	Heat curable primerless silicone hardcoat	428/412	428/447 ; 524/588
16	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5492960 A	19960220	5	Method of making polymeric particles	524/457	430/536 ; 430/537
17	<input type="checkbox"/>	<input type="checkbox"/>	US 5482994 A	19960109	7	Silicone/organic copolymer emulsions from preformed	524/789	524/806 ; 525/263
18	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 5411807 A	19950502	4	Heat curable primerless silicone hardcoat	428/412	428/447 ; 524/588
19	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 5371136 A	19941206	8	High adhesion coating for rubber articles	524/526	427/393.5 ; 524/270
20	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 5349002 A	19940920	4	Heat curable primerless silicone hardcoat	428/412	428/447 ; 524/588
21	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 5340854 A	19940823	7	Polyolefin composition containing optical	524/94	430/517 ; 430/536
22	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 5318886 A	19940607	6	Reverse side coating of photographic support	430/536	430/531 ; 430/538

Start  5/17/01  Microsoft Outlook

EAST - [default.wsp:1]

File View Edit Tools Window Help

☐ L3: (258112) (acrylic or m  
☐ L4: (12810) 1 and 2  
☐ L5: (4001) 1 same 2  
☐ L6: (8324) 3 and (4 or 5)  
☐ L7: (609) 3 same 5  
☐ L8: (51) 7 and 524/\$7.ccls  
☐ Failed  
☐ Saved

Search      
 Q#  ☐ Plurals ☐ Synonyms  
 Default operator: OR ☒ Highlight all hit terms initially  
 7 and 524/\$7.ccls.

	U	I	Document ID	Issue Date	Pages	Title	Current OR	Current XRef
42	<input type="checkbox"/>	<input type="checkbox"/>	US 4148741 A	19790410	8	Polymerization and attrition method for producing toner	430/137.14	427/218 ; 427/219
43	<input type="checkbox"/>	<input type="checkbox"/>	US 4132564 A	19790102	32	Intraleucospheruloid pigments and processes for	523/200	106/400 ; 106/401
44	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 4132563 A	19790102	47	Intraleucospheruloid/organic color pigment compositions	523/200	523/201 ; 523/208
45	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 4132562 A	19790102	49	Intrachromospheruloid/inorganic pigment compositions and	523/200	523/216 ; 524/423
46	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 4115296 A	19780919	6	Polyhalocarboxylic acid salts as accelerators for	528/92	252/182.13 ; 252/182.28
47	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 4072790 A	19780207	5	Extrudable compounded polyvinyl chloride	428/220	523/100 ; 524/569
48	<input type="checkbox"/>	<input type="checkbox"/>	US 4071670 A	19780131	8	Method of sizing monomer droplets for suspension	526/88	523/400 ; 524/832
49	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 3986997 A	19761019	8	Pigment-free coating compositions	524/300	351/166 ; 428/412
50	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 3940358 A	19760224	6	Non-hydraulic grouting composition of a water	523/220	52/390 ; 524/386
51	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 3819576 A	19740625	4	SALTS OF CYANIMINODITHIOCARBONIC ACID	424/650	106/18.32 ; 424/646

6 document(s) pending for JReddick

Start ☐ ☐ ☐ ☐ Clock: 5/17/01 ☐ Inbox - Microsoft Outlook ☐ EAST - [default.wsp:1] 9:07 AM

EAST - [default.wsp.1]

File View Edit Tools Window Help

☒ L3: (258112) (acrylic or m...  
☒ L4: (12810) 1 and 2  
☒ L5: (4001) 1 same 2  
☒ L6: (8324) 3 and (4 or 5)  
☒ L7: (609) 3 same 5  
☒ L8: (51) 7 and 524/\$7.ccls  
☐ Failed  
☒ Saved

Search      
 DBs: USPAT ☐ Plurals ☐ Synonyms  
 Default operator: OR ☒ Highlight all hit terms initially  
 7 and 524/\$7.ccls.

☒ BRS form ☒ S&R form ☐ Image ☐ Text

	U	I	Document ID	Issue Date	Pages	Title	Current OR	Current XRef
34	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 4251436 A	19810217	7	Inorganic filler material and polymer composition	524/141	106/462 ; 106/503
35	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 4248752 A	19810203	6	Refractory moldable composition	523/139	264/269 ; 264/30
36	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 4235633 A	19801125	7	Dental compositions	106/35	106/219 ; 260/998.11
37	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 4196107 A	19800401	14	Semi-solid water-based coating compositions	524/501	523/334 ; 524/44
38	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 4194920 A	19800325	42	Intrachromoleucospheruloid pigment compositions and	523/200	523/213 ; 523/216
39	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 4174331 A	19791113	5	Refractory moldable composition containing	524/388	106/38.23 ; 106/38.51
40	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 4169737 A	19791002	61	Intrachromospheruloid/intral euco-spheruloid pigment	523/216	523/200 ; 523/201
41	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 4155893 A	19790522	7	Preparing a hydrophilic gel by hydrolyzing a vinyl	523/223	521/31 ; 521/32
42	<input type="checkbox"/>	<input type="checkbox"/>	US 4148741 A	19790410	8	Polymerization and attrition method for producing toner	430/137.14	427/218 ; 427/219
43	<input type="checkbox"/>	<input type="checkbox"/>	US 4132564 A	19790102	32	Intraleucospheruloid pigments and processes for	523/200	106/400 ; 106/401
44	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 4132563 A	19790102	47	Intraleucospheruloid/organic color pigment compositions	523/200	523/201 ; 523/208

Start ☒ Clock - 5/17/01 ☒ Inbox - Microsoft Outlook ☒ EAST - [default.wsp.1] 9:07 AM



☐ Plurals
 ☐ Synonyms

Default operator: 
☒ Highlight all hit terms initially

[illegible]

EA5T - [default.wsp:1]

File View Edit Tools Window Help

Drafts  
 Pending  
 Active

L1: (29195) (suspension or  
 L2: (544376) (aluminum or  
 L3: (258112) (acrylic or m  
 L4: (12810) 1 and 2  
 L5: (4001) 1 same 2

USPAT  
 DBs: USPAT  
 Default operator: OR  
☐ Plurals  
☐ Synonyms  
☒ Highlight all hit terms initially

BRS term ISAR term Image Text

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Err
1	BRS	L1	29195	(suspension or particulate) same	USPAT ;	2001/05/17 08:28			0
2	BRS	L2	544376	(aluminum or ammonium or barium or calcium or	USPAT ;	2001/05/17 08:33			0
3	BRS	L3	258112	(acrylic or methacrylic or methyl or ethyl or butyl)	USPAT	2001/05/17 08:35			0
4	BRS	L4	12810	1 and 2	USPAT	2001/05/17 08:35			0
5	BRS	L5	4001	1 same 2	USPAT	2001/05/17 08:36			0
6	BRS	L6	8324	3 and (4 or 5)	USPAT	2001/05/17 08:36			0
7	BRS	L7	609	3 same 5	USPAT	2001/05/17 08:36			0
8	BRS	L8	51	7 and 524/\$7.ccls.	USPAT	2001/05/17 08:37			0
9	BRS	L9	30	7 and 526/\$.ccls.	USPAT	2001/05/17 09:12			0
10	BRS	L10	23649	Colloidal adj2 silica or LUDOX\$	USPAT ;	2001/05/17 09:13			0

Start Clock 5/17/01 Inbox - Microsoft Outlook EA5T - [default.wsp:1] 9:15 AM





**EAST - [default wsp:1]**

File View Edit Tools Window Help

**Drafts**  
**Pending**  
**Active**

- L1: (29195) (suspension or
- L2: (544376) (aluminum or
- L3: (258112) (acrylic or m
- L4: (12810) 1 and 2
- L5: (4001) 1 same 2

Search: [USPAT] [Plurals] [Synonyms]  
 DBs: [USPAT] Default operator: [OR] Highlight all hit terms initially [x]  
 [BRS term] [SAR term] [Image] [Text]

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Err
11	BRS	L11	23151	1 and 10	USPAT	2001/05/17 09:13			0
12	BRS	L12	23146	1 same 10	USPAT	2001/05/17 09:13			0
13	BRS	L13	11151	2 and 10	USPAT	2001/05/17 09:13			0
14	BRS	L14	4202	2 same 10	USPAT	2001/05/17 09:14			0
15	BRS	L15	2200	3 and 14	USPAT	2001/05/17 09:14			0
16	BRS	L16	503	3 same 14	USPAT	2001/05/17 09:14			0
17	BRS	L17	12	16 and 526/\$7.ccls.	USPAT	2001/05/17 09:14			0
18	BRS	L18	36	16 and 524/\$.ccls.	USPAT	2001/05/17 09:15			0
19	BRS	L19	36	16 and 524\$7.ccls.	USPAT	2001/05/17 09:15			0
20	BRS	L20	36	16 and 524/\$7.ccls.	USPAT	2001/05/17 09:15			0

Start Clock: 5/17/01 Inbox - Microsoft Outlook EAST - [default wsp:1] 9:15 AM



Patent Examiner's Tools

EAST - [default.wsp:1]

File View Edit Tools Window Help

☐ L15: (2200) 3 and 14  
☐ L16: (503) 3 same 14  
☐ L18: (36) 16 and 524/\$.ccl  
☐ L19: (36) 16 and 524\$7.ccl  
☐ L20: (36) 16 and 524/\$7.cc  
☐ L17: (12) 16 and 526/\$7.cc  
☐ Failed  
☒ Saved

DBs:  ☐ Plurals ☐ Synonyms  
 Default operator:  ☒ Highlight all hit terms initially

16 and 526/\$7.ccls.

☒ BRS form ☒ IS&R form ☒ Image ☒ Text

	U	I	Document ID	Issue Date	Pages	Title	Current OR	Current XRef
3	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 5409777 A	19950425	25	Laminates of polymer shaving perfluorocyclobutane rings	428/411.1	428/34.4 ; 428/357
4	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 5250641 A	19931005	8	Curing of dental resin	526/141	526/192 ; 526/204
5	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 5214116 A	19930525	15	Resin derived from sulfur-containing	526/286	351/159 ; 526/289
6	<input type="checkbox"/>	<input type="checkbox"/>	US 5205290 A	19930427	8	Low density microspheres and their use as contrast agents	424/489	424/501 ; 424/9.4
7	<input type="checkbox"/>	<input type="checkbox"/>	US 5003847 A	19910326	13	Process of producing electrophotographic toners	430/137.17	204/157.42 ; 525/934
8	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 4957947 A	19900918	5	Radiation-curable composition for forming an	522/66	430/530 ; 522/181
9	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 4880887 A	19891114	10	Method for curing dental resins	526/141	523/109 ; 525/248
10	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 4758639 A	19880719	38	Process for production of vinyl polymer	526/62	427/239 ; 427/327
11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 4757124 A	19880712	40	Process for production of vinyl chloride polymer	526/62	526/191 ; 526/201
12	<input checked="" type="checkbox"/>	<input type="checkbox"/>	US 4075138 A	19780221	4	Polymerization process and vinylidene chloride	521/56	428/402 ; 521/131

☒ Start ☒ Clock: 5/17/01 ☒ Inbox - Microsoft Outlook ☒ EAST - [default.wsp:1] 9:22 AM